




### **55 Series**












Shaft Weld Yoke

With Bearing Groove



| Shaft<br>1 5/16" Squar | те     |
|------------------------|--------|
| Stock Number           | Length |
| S.400-0021             | 6'     |


### **55 Series**

# **Shaft -** 1 11/16" x 20 Spline



| Stock Number                      | Length     | A Bore        |
|-----------------------------------|------------|---------------|
| S.404-2120                        | 3'         | 1 5/16" x 20  |
| S.404-2720*<br>(*Induction Harder | 3'<br>ned) | 1 11/16" x 20 |

## Slip Sleeve 1 5/16" Square with Grease Groove



| Stock Number | Length | Fits Tube Size     |
|--------------|--------|--------------------|
| S.500-4400   | 5"     | 2 1/2" (.134 Wall) |

# Slip Sleeve With Grease Reservoir





#### Stock Number Length Fits Tube Size

| S.502-3500 | 8" | 1 5/16" - 20 Spline  | 2 1/8" (.120 Wall) |
|------------|----|----------------------|--------------------|
| S.503-3500 | 8" | 1 11/16" - 20 Spline | 2 1/2" (.120 Wall) |

### **Tube**





| Stock Number | Length | Fits Tube Size     |
|--------------|--------|--------------------|
| S.602-4400   | 6'     | 2 1/2" (.120 Wall) |

#### **Tube Weld Yoke** with Bearing Groove



| Stock Number | A Bore             |
|--------------|--------------------|
| S.701-5500   | 2 1/2" (.120 Wall) |

## Implement Yoke Round Bore With Keyway & Set Screw





| Stock<br>Number | A<br>Bore | Standard<br>Keyway |  |
|-----------------|-----------|--------------------|--|
| S.800-5522      | 1 3/8"    | 5/16"              |  |
| S.800-5524      | 1 1/2"    | 3/8"               |  |
| S.800-5526      | 1 5/8"    | 3/8"               |  |
| S.800-5528      | 1 3/4"    | 3/8"               |  |
| S.800-5532      | 2"        | 1/2"               |  |

# Spline Bore With 21/64" Pin Hole






| Stock<br>Number | A<br>Bore | Spline |
|-----------------|-----------|--------|
| S.801-5506      | 1 3/8"    | 6      |
| S.801-5521      | 1 3/8"    | 21     |


### **Clamp Yoke**








| Stock Number | A Bore | Spline |
|--------------|--------|--------|
| S.807-5520   | 1 3/4" | 20     |
| S.807-5527   | 1 3/4" | 27     |

#### 55 Series










#### **Driveline**

Drivelines are furnished without Cross & Bearing Kit and Implement Yoke. Select kit and Implement Yoke as required.
When Cross & Bearing Kit and Implement Yoke are assembled,
the overall compressed length of the driveline will be 48" or 60".



| Stock<br>Number | Tractor<br>Yoke             | A<br>Length |  |
|-----------------|-----------------------------|-------------|--|
| S.14005548      | 1 3/8" x 6 Quick Disconnect | 48"         |  |
| S.14005560      | 1 3/8" x 6 Quick Disconnect | 60"         |  |

| Special Shaft Record |  |  |
|----------------------|--|--|
|                      |  |  |
|                      |  |  |
|                      |  |  |
|                      |  |  |
|                      |  |  |
|                      |  |  |
|                      |  |  |

| Bearing Ki |  | A                        |
|------------|--|--------------------------|
| S.22569    | 2 x A=67.2mm/83.6m<br>2 x S.56509 Nipple L | nm ID Bearings,<br>cocks |